


INDEX

About Us	6-15
Perforated Sheet	
Perforated Sheet Formulas	18-19
Perforation Orders	20-21
Round Hole Sheet	22-60
Hexagonal Perforated Sheet	61-68
Slot Perforated Sheet	69-75
Square Hole Sheet	76-81
Rectangular Perforated Sheet	82
Round Hole Perforation Summary Table	83
Hexagonal Perforation Summary Table	84
Slot Perforation Summary Table	85
Square Perforation Summary Table	86
Expanded Metal	
Expanded Metal	90-110
Expanded Metal Flattened	111-115
Expended Perforation Summary Table	116
Our Licenses And Certificates	117



PERFORATED SHEET PRODUCTION WITH GROWING EXPERIENCE **SINCE 1985**





EXCELLENT PRODUCTION IN EVERY FORM WITH SUPERIOR PROFESSIONALISM

We produce perforated sheet with our expanding production network since 1985 and our infrastructure that has grown by following the current developments in technology.


We are looking for perfection with our superior professionalism in every work we have done and in every field we have experienced since the date of our establishment.



**IN EVERY SECTOR AND
EVERYWHERE**


SOLUTION PARTNER TO EVERY SECTOR WITH A WIDE PRODUCT RANGE AND TECHNOLOGICAL PRODUCTION INFRASTRUCTURE

Delmaksan is a brand that provides raw material needs of many sectors such as screening, decoration, filter, automotive, construction, machinery, food, mining, pharmaceutical, electrical and electronic industries, flour, feed and paddy mills, purification, drying and crushing plants, product display stands, heating, cooling and ventilation systems, stairs, steps and walking platforms with its expertise.





**THE PERFECTION
OF ENGINEERS'
PERSPECTIVE**



LONG-LASTING PRODUCTION IN COMPLIANCE WITH QUALITY STANDARDS


With our young and dynamic company structure that researches, develops, implements, we carry out a devoted work at every stage of production.

We reflect this devotion to our product and application quality with the expertise of an engineers' perspective. We guarantee longevity in use with burr-free metal sheet surfaces.

In line with the projects and demands of our customers, we offer special production opportunities with our wide product range in every form of production, from different manufacturing options to the advantage of molds



THE NAME REFLECTING QUALITY ON METAL SHEET SURFACE FROM TURKEY TO THE WORLD FROM PRESENT TO THE FUTURE






OUR VISION


To be one of the best perforated sheet and expanded metal sheet processing brands in the sector by researching, developing and representing our country worldwide, with the service we provide in international standards in the field of perforated sheet and expanded metal sheet production.

OUR MISSION

To ensure constant customer satisfaction by increasing the professionalism of production at high quality standards with technology suitable for every project, size, and demand in the production of perforated sheet and expanded metal sheet.



**LONG-TERM EFFECT
IN A SHORT TIME**



BIG PROJECT SOLUTIONS WITH SMALL STEPS

We adopt the principle of "**superiority in production, speed, delivery, solution, success and project**" to provide superior engineering services in every form.

From the perspective of engineers, we meet the demands of our customers, for whom we produce fast solutions, as soon as possible, and we support their journeys they set out with small steps in line with their goals with our big project solutions.



OUR PRODUCTS



PERFORATED SHEET

Perforated sheet is a sheet model obtained by perforating the classical metal sheet material. It is a useful product with its light structure. This metal sheet model, which has many uses, is generally preferred in places with air and water contact with its filtering feature.

PERFORATED SHEET TYPES


- Round Hole Sheet
- Hexagonal Perforated Sheet
- Slot Perforated Sheet
- Rectangular Perforated Sheet
- Square Hole Sheet


AREAS OF USE


- Power plants
- Mining industry
- Dam plants
- Treatment, screening and crushing plants
- Industrial facilities
- Safety walls
- Acoustic and decorative panels
- GSM base stations
- Advertising and lighting boards
- Fence systems

PERFORATED SHEET FORMULAS


○ Round Perforation

Perforation Pattern	Perforation Type	Perforation Definition
Round Holes Staggered Pitch	R	R T
	The perforation rate formula (%):	$\frac{R^2 \times 90.69}{T^2}$
	Number of perforations formula (m²):	$\frac{1,154,700}{T^2}$

Perforation Pattern	Perforation Type	Perforation Definition
Round Holes Square Pitch	R	R U
	The perforation rate formula (%):	$\frac{R^2 \times 78.5}{U_1 \times U_2}$
	Number of perforations formula (m²):	$\frac{1,000,000}{U_1 \times U_2}$


Perforation Pattern	Perforation Type	Perforation Definition
Round Holes Diagonal Pitch	R	R M
	The perforation rate formula (%):	$\frac{R^2 \times 78.5}{M^2}$
	Number of perforations formula (m²):	$\frac{1,000,000}{M^2}$

□ Square Perforation


Perforation Pattern	Perforation Type	Perforation Definition
Rectangle Holes Rectangle Pitch	C	C U
	The perforation rate formula (%):	$\frac{C^2 \times 100}{U_1 \times U_2}$
	Number of perforations formula (m²):	$\frac{1,000,000}{U_1 \times U_2}$


PERFORATED SHEET FORMULAS

Hexagonal Perforation

Perforation Definition	Perforation Type	Perforation Pattern
H T	H	Hexagonal Holes Staggered Pitch
$\frac{H^2 \times 100}{T^2}$	The perforation rate formula (%):	
$\frac{1,154,700}{T^2}$	Number of perforations formula (m²):	


Slot Perforation

Perforation Definition	Perforation Type	Perforation Pattern
LR Z	LR	Slotted Holes Staggered Pitch, Longitudinal
$\frac{L \times R - (0.2146R^2) \times 100}{0.5 \times Z_1 \times Z_2}$	The perforation rate formula (%):	
$\frac{1,000,000}{0.5 \times Z_1 \times Z_2}$	Number of perforations formula (m²):	


Perforation Definition	Perforation Type	Perforation Pattern
L RU	LR	Slotted Holes Square Pitch, Longitudinal
$\frac{L \times R - (0.2146R^2) \times 100}{U^1 \times U^2}$	The perforation rate formula (%):	
$\frac{1,000,000}{U^1 \times U^2}$	Number of perforations formula (m²):	

PERFORATION ORDERS


○ Finished End Pattern




○ Unfinished End Pattern




○ Square Pitch




Square Unfinished End Pattern ○



Finished End Pattern ○







R : 1 mm
 T : 2 mm
 : %23

Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,50	●	●	●	3,00
	0,80	●	●	●	4,80
	1,00	●	●	●	6,01
DX51	0,50	●	●	●	3,00
	0,80	●	●	●	4,80
	1,00	●	●	●	6,01
AISI 304	0,50	●	●	●	3,00
	1,00	●	●	●	6,01
Alüminium	0,50	●	●	●	1,08
	1,00	●	●	●	2,16


R : 1 mm
 T : 6 mm
 %3




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,50	●	●	●	3,78
	0,80	●	●	●	6,05
	1,00	●	●	●	7,57
DX51	0,50	●	●	●	3,78
	0,80	●	●	●	6,05
	1,00	●	●	●	7,57
AISI 304	0,50	●	●	●	3,78
	1,00	●	●	●	7,57
Alüminium	0,50	●	●	●	1,36
	1,00	●	●	●	2,72



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,50	●	●	●	3,00
	0,80	●	●	●	4,80
	1,00	●	●	●	5,99
DX51	0,50	●	●	●	3,00
	0,80	●	●	●	4,80
	1,00	●	●	●	6,01
AISI 304	0,50	●	●	●	3,00
	1,00	●	●	●	6,01
Alüminium	0,50	●	●	●	1,08
	1,00	●	●	●	2,16
	1,50	●	●	●	3,23




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,50				3,78
	0,80				6,05
	1,00				7,57
DX51	0,50				3,78
	0,80				6,05
	1,00				7,57
AISI 304	0,50				3,78
	1,00				7,57
Alüminium	0,50				1,36
	1,00				2,72
	1,50				4,07




R : 2 mm
 T : 4 mm
 %23

Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●	●	●	9,05
	2,00	●	●	●	12,06
DC01	0,50	●	●	●	3,00
	0,80	●	●	●	4,80
	1,00	●	●	●	6,01
	1,50	●	●	●	9,01
	2,00	●	●	●	12,01
	0,50	●	●	●	3,02
	0,80	●	●	●	4,83
DX51	1,00	●	●	●	6,03
	1,50	●	●	●	9,05
	2,00	●	●	●	12,06
	0,50	●	●	●	3,02
	1,00	●	●	●	6,03
AISI 304	1,50	●	●	●	9,05
	2,00	●	●	●	12,06
	0,50	●	●	●	3,02
	1,00	●	●	●	6,03
	1,50	●	●	●	9,05
Alüminium	2,00	●	●	●	12,06
	0,50	●	●	●	1,08
	1,00	●	●	●	2,16
	1,50	●	●	●	3,23
	2,00	●	●	●	4,31




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\varnothing}{KG}$
S235JR	1,50	●	●	●	10,83
	2,00	●	●	●	14,45
DC01	0,50	●	●	●	3,63
	0,80	●	●	●	5,80
DX51	1,00	●	●	●	7,25
	1,50	●	●	●	10,88
AISI 304	2,00	●	●	●	14,51
	0,50	●	●	●	3,61
Alüminium	0,80	●	●	●	5,78
	1,00	●	●	●	7,22
	1,50	●	●	●	10,83
	2,00	●	●	●	14,45
	0,50	●	●	●	3,61
	1,00	●	●	●	7,22
	1,50	●	●	●	10,83
	2,00	●	●	●	14,45
	0,50	●	●	●	1,30
	1,00	●	●	●	2,60
	1,50	●	●	●	3,91
	2,00	●	●	●	5,21




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,50	●	●	●	2,54
	0,80	●	●	●	4,06
	1,00	●	●	●	5,07
DX51	0,50	●	●	●	2,54
	0,80	●	●	●	4,06
	1,00	●	●	●	5,07
AISI 304	0,50	●	●	●	2,54
	1,00	●	●	●	5,07
Alüminium	0,50	●	●	●	0,91
	1,00	●	●	●	1,82
	1,50	●	●	●	2,73
	2,00	●	●	●	3,64


R : 2,5 mm
 T : 12 mm
 % : 64




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,50	●	●	●	3,74
	0,80	●	●	●	5,99
	1,00	●	●	●	7,49
DX51	0,50	●	●	●	3,74
	0,80	●	●	●	5,99
	1,00	●	●	●	7,49
AISI 304	0,50	●	●	●	3,74
	1,00	●	●	●	7,49
Alüminium	0,50	●	●	●	1,34
	1,00	●	●	●	2,69
	1,50	●	●	●	4,03
	2,00	●	●	●	5,38




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				7,88
DC01	0,50				2,61
	0,80				4,18
	1,00				5,23
	1,50				7,84
	0,50				2,63
DX51	0,80				4,20
	1,00				5,25
	1,50				7,88
	0,50				2,63
AISI 304	1,00				5,25
	0,50				2,63
	0,50				0,94
	1,00				1,88
Alüminium	1,00				2,81
	1,50				3,75
	2,00				5,63
	3,00				




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●	●	●	10,52
	0,50	●	●	●	3,51
DC01	0,80	●	●	●	5,62
	1,00	●	●	●	7,02
	1,50	●	●	●	10,53
DX51	0,50	●	●	●	3,51
	0,80	●	●	●	5,61
	1,00	●	●	●	7,01
	1,50	●	●	●	10,52
AISI 304	0,50	●	●	●	3,51
	1,00	●	●	●	7,01
	0,50	●	●	●	1,26
	1,00	●	●	●	2,52
Alüminium	1,50	●	●	●	3,78
	2,00	●	●	●	5,04
	3,00	●	●	●	7,56




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
DC01	0,50	●	●		2,34
	0,80	●	●		3,74
	1,00	●	●		4,68
DC01	1,50	●	●	●	7,02
	2,00	●	●		9,36
	0,50	●	●		2,33
DX51	0,80	●	●		3,72
	1,00	●	●		4,66
	1,50	●	●		6,98
DX51	2,00	●	●		9,31
	3,00	●	●		13,97
	0,50	●	●		2,33
AISI 304	1,00	●	●		4,66
	1,50	●	●		6,98
	2,00	●	●		9,31
Alüminium	0,50	●	●		0,84
	1,00	●	●		1,67
	1,50	●	●		2,51
Alüminium	2,00	●	●		3,34
	3,00	●	●		5,01




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●	●	●	10,00
	2,00	●	●	●	13,34
	3,00	●	●	●	20,00
DC01	0,50	●	●	●	3,32
	0,80	●	●	●	5,30
	1,00	●	●	●	6,63
	1,50	●	●	●	9,95
	2,00	●	●	●	13,26
	0,50	●	●	●	3,33
	0,80	●	●	●	5,33
DX51	1,00	●	●	●	6,67
	1,50	●	●	●	10,00
	2,00	●	●	●	13,34
	3,00	●	●	●	20,00
	0,50	●	●	●	3,33
AISI 304	1,00	●	●	●	6,67
	1,50	●	●	●	10,00
	2,00	●	●	●	13,34
	3,00	●	●	●	20,00
Alüminium	0,50	●	●	●	1,20
	1,00	●	●	●	2,39
	1,50	●	●	●	3,59
	2,00	●	●	●	4,79
	3,00	●	●	●	7,18




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				6,29
	2,00				8,38
	3,00				12,57
DC01	0,50				2,11
	0,80				3,37
	1,00				4,21
	1,50				6,32
	2,00				8,42
	0,50				2,10
	0,80				3,35
DX51	1,00				4,19
	1,50				6,29
	2,00				8,38
	3,00				12,57
	0,50				2,10
AISI 304	1,00				4,19
	1,50				6,29
	2,00				8,38
	3,00				12,57
	0,50				0,75
Alüminium	1,00				1,50
	1,50				2,26
	2,00				3,01
	3,00				4,51




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	9,05
	2,00	●	●	●	12,06
	3,00	●	●	●	18,09
	5,00	●	●	●	30,16
DC01	0,50	●	●	●	3,00
	0,80	●	●	●	4,80
	1,00	●	●	●	6,01
	1,50	●	●	●	9,01
DX51	2,00	●	●	●	12,01
	0,50	●	●	●	3,02
	0,80	●	●	●	4,83
	1,00	●	●	●	6,03
AISI 304	1,50	●	●	●	9,05
	2,00	●	●	●	12,06
	3,00	●	●	●	18,09
	0,50	●	●	●	3,02
Alüminium	1,00	●	●	●	6,03
	1,50	●	●	●	9,05
	2,00	●	●	●	12,06
	3,00	●	●	●	18,09




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	10,78
	2,00	●	●	●	14,38
	3,00	●	●	●	21,56
	5,00	●	●	●	35,94
DC01	0,50	●	●	●	3,59
	0,80	●	●	●	5,74
	1,00	●	●	●	7,18
	1,50	●	●	●	10,76
	2,00	●	●	●	14,35
	0,50	●	●	●	3,59
	0,80	●	●	●	5,75
DX51	1,00	●	●	●	7,19
	1,50	●	●	●	10,78
	2,00	●	●	●	14,38
	3,00	●	●	●	21,56
	0,50	●	●	●	3,59
AISI 304	1,00	●	●	●	7,19
	1,50	●	●	●	10,78
	2,00	●	●	●	14,38
	3,00	●	●	●	21,56
	0,50	●	●	●	3,59
Alüminium	1,00	●	●	●	7,19
	1,50	●	●	●	10,78
	2,00	●	●	●	14,38
	3,00	●	●	●	21,56
	0,50	●	●	●	1,29
	1,00	●	●	●	2,58
	1,50	●	●	●	3,87




R : 5 mm
 T : 21 mm
 % : 65





Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	11,10
	2,00	●	●	●	14,80
	3,00	●	●	●	22,20
DC01	0,50	●	●	●	3,71
	0,80	●	●	●	5,93
	1,00	●	●	●	7,41
	1,50	●	●	●	11,12
	2,00	●	●	●	14,82
	0,50	●	●	●	3,70
	0,80	●	●	●	5,92
DX51	1,00	●	●	●	7,40
	1,50	●	●	●	11,10
	2,00	●	●	●	14,80
	3,00	●	●	●	22,20
	0,50	●	●	●	3,70
AISI 304	1,00	●	●	●	7,40
	1,50	●	●	●	11,10
	2,00	●	●	●	14,80
	3,00	●	●	●	22,20
	0,50	●	●	●	3,70
Alüminium	1,00	●	●	●	2,66
	1,50	●	●	●	3,98
	2,00	●	●	●	5,31
	3,00	●	●	●	7,97




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				9,05
	2,00				12,06
	3,00				18,09
	5,00				30,16
DC01	0,50				3,00
	0,80				4,80
	1,00				6,01
	1,50				9,01
DX51	2,00				12,01
	0,50				3,02
	0,80				4,83
	1,00				6,03
AISI 304	1,50				9,05
	2,00				12,06
	3,00				18,09
	0,50				3,02
Alüminium	1,00				6,03
	1,50				9,05
	2,00				12,06
	3,00				18,09
	0,50				1,08
	1,00				2,17
	1,50				3,25
	2,00				4,33
	3,00				6,50




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				10,75
	2,00				14,33
	3,00				21,49
	5,00				35,82
DC01	0,50				3,59
	0,80				5,74
	1,00				7,18
	1,50				10,76
DX51	2,00				14,35
	0,50				3,58
	0,80				5,73
	1,00				7,16
AISI 304	1,50				10,75
	2,00				14,33
	3,00				21,49
	0,50				3,58
Alüminium	1,00				7,16
	1,50				10,75
	2,00				14,33
	3,00				21,49
	0,50				1,29
	1,00				2,57
	1,50				3,86
	2,00				5,14
	3,00				7,71




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●	●	●	8,09
	2,00	●	●	●	10,79
	3,00	●	●	●	16,18
DC01	0,50	●	●	●	2,69
	0,80	●	●	●	4,31
	1,00	●	●	●	5,38
	1,50	●	●	●	8,07
	2,00	●	●	●	10,76
	0,50	●	●	●	2,70
DX51	0,80	●	●	●	4,31
	1,00	●	●	●	5,39
	1,50	●	●	●	8,09
	2,00	●	●	●	10,79
	3,00	●	●	●	16,18
	0,50	●	●	●	2,70
AISI 304	1,00	●	●	●	5,39
	1,50	●	●	●	8,09
	2,00	●	●	●	10,79
	3,00	●	●	●	16,18
Alüminium	0,50	●	●	●	0,97
	1,00	●	●	●	1,94
	1,50	●	●	●	2,90
	2,00	●	●	●	3,87
	3,00	●	●	●	5,81




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
	1,50				10,40
	2,00				13,87
	3,00				20,80
	0,50				3,47
	0,80				5,55
	1,00				6,94
	1,50				10,41
	2,00				13,88
	0,50				3,47
	0,80				5,55
	1,00				6,93
	1,50				10,40
	2,00				13,87
	3,00				20,80
	0,50				3,47
	1,00				6,93
	1,50				10,40
	2,00				13,87
	0,50				3,47
	1,00				6,93
	2,00				13,87
	0,50				1,24
	1,00				2,49
	1,50				3,73
	2,00				4,98
	3,00				7,47




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	5,00	●	●	●	23,28
DC01	0,50	●	●	●	2,34
	0,80	●	●	●	3,74
	1,00	●	●	●	4,68
	1,50	●	●	●	7,02
DX51	2,00	●	●	●	9,36
	0,50	●	●	●	2,33
	0,80	●	●	●	3,72
	1,00	●	●	●	4,66
AISI 304	1,50	●	●	●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	0,50	●	●	●	2,33
Alüminium	1,00	●	●	●	4,66
	1,50	●	●	●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	0,50	●	●	●	0,84
	1,00	●	●	●	1,67
	1,50	●	●	●	2,51
	2,00	●	●	●	3,34
	3,00	●	●	●	5,01




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\varnothing}{KG}$
S235JR	1,50	●		●	10,16
	2,00	●	●	●	13,55
	3,00	●	●	●	20,32
	5,00	●	●	●	33,87
DC01	0,50	●	●	●	3,39
	0,80	●	●	●	5,43
	1,00	●	●	●	6,79
	1,50	●	●	●	10,18
DX51	2,00	●	●	●	13,57
	0,50	●	●	●	3,39
	0,80	●	●	●	5,42
	1,00	●	●	●	6,77
AISI 304	1,50	●	●	●	10,16
	2,00	●	●	●	13,55
	3,00	●	●	●	20,32
	0,50	●	●	●	3,39
Alüminium	1,00	●	●	●	6,77
	1,50	●	●	●	10,16
	2,00	●	●	●	13,55
	3,00	●	●	●	20,32



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				7,31
	2,00				9,75
	3,00				14,63
	5,00				24,38
DC01	0,50				2,46
	0,80				3,93
	1,00				4,91
	1,50				7,37
DX51	2,00				9,83
	0,50				2,44
	0,80				3,90
	1,00				4,88
AISI 304	1,50				7,31
	2,00				9,75
	3,00				14,63
	0,50				2,44
Alüminium	1,00				4,88
	1,50				7,31
	2,00				9,75
	3,00				14,63
	0,50				0,88
	1,00				1,75
	1,50				2,63
	2,00				3,50
	3,00				5,25




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●		●	10,21
	2,00	●	●	●	13,61
	3,00	●	●	●	20,42
	5,00	●	●	●	34,03
DC01	0,50	●	●	●	3,39
	0,80	●	●	●	5,43
	1,00	●	●	●	6,79
	1,50	●	●	●	10,18
	2,00	●	●	●	13,57
	0,50	●	●	●	3,40
	0,80	●	●	●	5,44
DX51	1,00	●	●	●	6,81
	1,50	●	●	●	10,21
	2,00	●	●	●	13,61
	3,00	●	●	●	20,42
	0,50	●	●	●	3,40
AISI 304	1,00	●	●	●	6,81
	1,50	●	●	●	10,21
	2,00	●	●	●	13,61
	3,00	●	●	●	20,42
	0,50	●	●	●	3,40
Alüminium	1,00	●	●	●	2,44
	1,50	●	●	●	3,66
	2,00	●	●	●	4,89
	3,00	●	●	●	7,33




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●		●	7,56
	2,00	●	●	●	10,07
	3,00	●	●	●	15,11
	5,00	●	●	●	25,18
DC01	0,50	●	●	●	2,54
	0,80	●	●	●	4,06
	1,00	●	●	●	5,07
	1,50	●	●	●	7,61
	2,00	●	●	●	10,14
	0,50	●	●	●	2,52
	0,80	●	●	●	4,03
DX51	1,00	●	●	●	5,04
	1,50	●	●	●	7,56
	2,00	●	●	●	10,07
	3,00	●	●	●	15,11
	0,50	●	●	●	2,52
AISI 304	1,00	●	●	●	5,04
	1,50	●	●	●	7,56
	2,00	●	●	●	10,07
	3,00	●	●	●	15,11
	0,50	●	●	●	2,52
Alüminium	1,00	●	●	●	1,81
	1,50	●	●	●	2,71
	2,00	●	●	●	3,62
	3,00	●	●	●	5,42
	0,50	●	●	●	0,90
	1,00	●	●	●	
	1,50	●	●	●	


1/1 ÖLÇEK 1/1 SCALE




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	10,24
	2,00	●	●	●	13,66
	3,00	●	●	●	20,49
	5,00	●	●	●	34,15
DC01	0,50	●	●	●	3,43
	0,80	●	●	●	5,49
	1,00	●	●	●	6,86
	1,50	●	●	●	10,30
	2,00	●	●	●	13,73
	0,50	●	●	●	3,41
	0,80	●	●	●	5,46
DX51	1,00	●	●	●	6,83
	1,50	●	●	●	10,24
	2,00	●	●	●	13,66
	3,00	●	●	●	20,49
	0,50	●	●	●	3,41
	1,00	●	●	●	6,83
AISI 304	1,50	●	●	●	10,24
	2,00	●	●	●	13,66
	3,00	●	●	●	20,49
	0,50	●	●	●	3,41
	1,00	●	●	●	6,83
	1,50	●	●	●	10,24
Alüminium	2,00	●	●	●	13,66
	3,00	●	●	●	20,49
	0,50	●	●	●	1,23
	1,00	●	●	●	2,45
	1,50	●	●	●	3,68
	2,00	●	●	●	4,90
	3,00	●	●	●	7,36



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●		●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	5,00	●	●	●	23,28
DC01	0,50	●	●	●	2,34
	0,80	●	●	●	3,74
	1,00	●	●	●	4,68
	1,50	●	●	●	7,02
DX51	2,00	●	●	●	9,36
	0,50	●	●	●	2,33
	0,80	●	●	●	3,72
	1,00	●	●	●	4,66
AISI 304	1,50	●	●	●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	0,50	●	●	●	2,33
Alüminium	1,00	●	●	●	4,66
	1,50	●	●	●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	0,50	●	●	●	0,84
	1,00	●	●	●	1,67
	1,50	●	●	●	2,51
	2,00	●	●	●	3,34
	3,00	●	●	●	5,01




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●		●	9,05
	2,00	●	●	●	12,06
	3,00	●	●	●	18,09
DC01	0,50	●	●		3,00
	0,80	●	●		4,80
	1,00	●	●		6,01
	1,50	●	●		9,01
	2,00	●		●	12,01
	0,50	●	●		3,02
	0,80	●	●		4,83
	1,00	●	●		6,03
DX51	1,50	●	●		9,05
	2,00	●	●		12,06
	3,00	●	●		18,09
	0,50	●	●		3,02
	1,00	●	●		6,03
AISI 304	1,50	●	●		9,05
	2,00	●	●		12,06
	3,00	●	●		18,09
	0,50	●	●		3,02
	1,00	●	●		6,03
Alüminium	1,50	●	●		9,05
	2,00	●	●		12,06
	0,50	●	●		1,08
	1,00	●	●		2,17
	1,50	●	●		3,25
	2,00	●	●		4,33
	3,00	●	●		6,50




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●		●	10,66
	2,00	●	●	●	14,22
	3,00	●	●	●	21,33
	5,00	●	●	●	35,55
DC01	0,50	●	●	●	3,55
	0,80	●	●	●	5,68
	1,00	●	●	●	7,10
	1,50	●	●	●	10,65
	2,00	●	●	●	14,20
	0,50	●	●	●	3,55
	0,80	●	●	●	5,69
DX51	1,00	●	●	●	7,11
	1,50	●	●	●	10,66
	2,00	●	●	●	14,22
	3,00	●	●	●	21,33
	0,50	●	●	●	3,55
AISI 304	1,00	●	●	●	7,11
	1,50	●	●	●	10,66
	2,00	●	●	●	14,22
	3,00	●	●	●	21,33
	0,50	●	●	●	3,55
Alüminium	1,00	●	●	●	7,11
	1,50	●	●	●	10,66
	2,00	●	●	●	14,22
	3,00	●	●	●	21,33
	0,50	●	●	●	1,28
	1,00	●	●	●	2,55
	1,50	●	●	●	3,83

1/1 ÖLÇEK 1/1 SCALE




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	6,50
	2,00	●	●	●	8,67
	3,00	●	●	●	13,00
	5,00	●	●	●	21,67
DC01	0,50	●	●	●	2,18
	0,80	●	●	●	3,49
	1,00	●	●	●	4,37
	1,50	●	●	●	6,55
DX1	2,00	●	●	●	8,74
	0,50	●	●	●	2,17
	0,80	●	●	●	3,47
	1,00	●	●	●	4,33
AISI 304	1,50	●	●	●	6,50
	2,00	●	●	●	8,67
	3,00	●	●	●	13,00
	0,50	●	●	●	2,17
Alüminium	1,00	●	●	●	4,33
	1,50	●	●	●	6,50
	2,00	●	●	●	8,67
	3,00	●	●	●	13,00
	0,50	●	●	●	0,78
	1,00	●	●	●	1,56
	1,50	●	●	●	2,33
	2,00	●	●	●	3,11
	3,00	●	●	●	4,67




	: 14 mm
	: 36 mm
	: %14


Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
	1,50				10,10
	2,00				13,46
	3,00				20,19
	5,00				33,65
	0,50				3,35
	0,80				5,37
	1,00				6,71
	1,50				10,06
	2,00				13,42
	0,50				3,37
	0,80				5,38
	1,00				6,73
	1,50				10,10
	2,00				13,46
	3,00				20,19
	0,50				3,37
	1,00				6,73
	1,50				10,10
	2,00				13,46
	3,00				20,19
	0,50				1,21
	1,00				2,42
	1,50				3,62
	2,00				4,83
	3,00				7,25




R : 15 mm
 T : 22 mm
 %42




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	6,77
	2,00	●	●	●	9,02
	3,00	●	●	●	13,53
DC01	0,50	●	●	●	2,26
	0,80	●	●	●	3,62
	1,00	●	●	●	4,52
	1,50	●	●	●	6,79
	2,00	●	●	●	9,05
	0,50	●	●	●	2,26
	0,80	●	●	●	3,61
	1,00	●	●	●	4,51
DX51	1,50	●	●	●	6,77
	2,00	●	●	●	9,02
	3,00	●	●	●	13,53
	0,50	●	●	●	2,26
	1,00	●	●	●	4,51
AISI 304	1,50	●	●	●	6,77
	2,00	●	●	●	9,02
	3,00	●	●	●	13,53
	0,50	●	●	●	2,26
	1,00	●	●	●	4,51
Alüminium	1,50	●	●	●	6,77
	2,00	●	●	●	9,02
	0,50	●	●	●	0,81
	1,00	●	●	●	1,62
	1,50	●	●	●	2,43
	2,00	●	●	●	3,24
	3,00	●	●	●	4,86




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●	●	●	10,05
	2,00	●	●	●	13,40
	3,00	●	●	●	20,09
DC01	0,50	●	●	●	3,35
	0,80	●	●	●	5,37
	1,00	●	●	●	6,71
	1,50	●	●	●	10,06
	2,00	●	●	●	13,42
	0,50	●	●	●	3,35
DX51	0,80	●	●	●	5,36
	1,00	●	●	●	6,70
	1,50	●	●	●	10,05
	2,00	●	●	●	13,40
	3,00	●	●	●	20,09
	0,50	●	●	●	3,35
AISI 304	1,00	●	●	●	6,70
	1,50	●	●	●	10,05
	2,00	●	●	●	13,40
	0,50	●	●	●	3,35
Alüminium	1,00	●	●	●	6,70
	1,50	●	●	●	10,05
	2,00	●	●	●	13,40
	0,50	●	●	●	1,20
	1,00	●	●	●	2,40
	1,50	●	●	●	3,61
	2,00	●	●	●	4,81
	3,00	●	●	●	7,21




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●		●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	5,00	●	●	●	23,28
DC01	0,50	●	●	●	2,34
	0,80	●	●	●	3,74
	1,00	●	●	●	4,68
	1,50	●	●	●	7,02
DX51	2,00	●	●	●	9,36
	0,50	●	●	●	2,33
	0,80	●	●	●	3,72
	1,00	●	●	●	4,66
AISI 304	1,50	●	●	●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	0,50	●	●	●	2,33
Alüminium	1,00	●	●	●	4,66
	1,50	●	●	●	6,98
	2,00	●	●	●	9,31
	3,00	●	●	●	13,97
	0,50	●	●	●	0,84
	1,00	●	●	●	1,67
	1,50	●	●	●	2,51
	2,00	●	●	●	3,34
	3,00	●	●	●	5,01



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	10,16
	2,00	●	●	●	13,55
	3,00	●	●	●	20,32
	5,00	●	●	●	33,87
DC01	0,50	●	●	●	3,39
	0,80	●	●	●	5,43
	1,00	●	●	●	6,79
	1,50	●	●	●	10,18
DX51	2,00	●	●	●	13,57
	0,50	●	●	●	3,39
	0,80	●	●	●	5,42
	1,00	●	●	●	6,77
AISI 304	1,50	●	●	●	10,16
	2,00	●	●	●	13,55
	3,00	●	●	●	20,32
	0,50	●	●	●	3,39
Alüminium	1,00	●	●	●	6,77
	1,50	●	●	●	10,16
	2,00	●	●	●	13,55
	3,00	●	●	●	20,32
	0,50	●	●	●	1,22
	1,00	●	●	●	2,43
	1,50	●	●	●	3,65
	2,00	●	●	●	4,86
	3,00	●	●	●	7,29




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●	●	●	6,61
	2,00	●	●	●	8,82
	3,00	●	●	●	13,23
	5,00	●	●	●	22,05
DC01	0,50	●	●	●	2,22
	0,80	●	●	●	3,56
	1,00	●	●	●	4,45
	1,50	●	●	●	6,67
DX51	2,00	●	●	●	8,89
	0,50	●	●	●	2,20
	0,80	●	●	●	3,53
	1,00	●	●	●	4,41
AISI 304	1,50	●	●	●	6,61
	2,00	●	●	●	8,82
	3,00	●	●	●	13,23
	0,50	●	●	●	2,20
Alüminium	1,00	●	●	●	4,41
	1,50	●	●	●	6,61
	2,00	●	●	●	8,82
	3,00	●	●	●	13,23




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●		●	9,92
	2,00	●	●	●	13,23
	3,00	●	●	●	19,85
	5,00	●	●	●	33,08
DC01	0,50	●	●	●	3,32
	0,80	●	●	●	5,30
	1,00	●	●	●	6,63
	1,50	●	●	●	9,95
DX51	2,00	●	●	●	13,26
	0,50	●	●	●	3,31
	0,80	●	●	●	5,29
	1,00	●	●	●	6,62
AISI 304	1,50	●	●	●	9,92
	2,00	●	●	●	13,23
	3,00	●	●	●	19,85
	0,50	●	●	●	3,31
Alüminium	1,00	●	●	●	6,62
	1,50	●	●	●	9,92
	2,00	●	●	●	13,23
	3,00	●	●	●	19,85
	0,50	●	●	●	1,19
	1,00	●	●	●	2,38
	1,50	●	●	●	3,56
	2,00	●	●	●	4,75
	3,00	●	●	●	7,13


1/1 ÖLÇEK 1/1 SCALE




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
	1,50				6,29
	2,00				8,38
	3,00				12,57
	5,00				20,95
	0,50				2,11
	0,80				3,37
	1,00				4,21
	1,50				6,32
	2,00				8,42
	0,50				2,10
	0,80				3,35
	1,00				4,19
	1,50				6,29
	2,00				8,38
	3,00				12,57
	0,50				2,10
	1,00				4,19
	1,50				6,29
	2,00				8,38
	3,00				12,57
	0,50				0,75
	1,00				1,50
	1,50				2,26
	2,00				3,01
	3,00				4,51




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●		●	9,86
	2,00	●	●	●	13,14
	3,00	●	●	●	19,72
	5,00	●	●	●	32,86
DC01	0,50	●	●	●	3,28
	0,80	●	●	●	5,24
	1,00	●	●	●	6,55
	1,50	●	●	●	9,83
	2,00	●	●	●	13,10
	0,50	●	●	●	3,29
	0,80	●	●	●	5,26
DX51	1,00	●	●	●	6,57
	1,50	●	●	●	9,86
	2,00	●	●	●	13,14
	3,00	●	●	●	19,72
	0,50	●	●	●	3,29
AISI 304	1,00	●	●	●	6,57
	1,50	●	●	●	9,86
	2,00	●	●	●	13,14
	3,00	●	●	●	19,72
	0,50	●	●	●	3,29
Alüminium	1,00	●	●	●	6,57
	1,50	●	●	●	9,86
	2,00	●	●	●	13,14
	3,00	●	●	●	19,72
	0,50	●	●	●	1,18
	1,00	●	●	●	2,36
	1,50	●	●	●	3,54



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				6,55
	0,50				2,18
DC01	0,80				3,49
	1,00				4,37
	1,50				6,55
DX51	0,50				2,18
	0,80				3,49
	1,00				4,37
	1,50				6,55
AISI 304	0,50				2,18
	1,00				4,37
	0,50				0,78
	1,00				1,57
Alüminium	1,50				2,35
	2,00				3,14
	3,00				4,70




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●	●	●	9,83
	0,50	●	●	●	3,28
DC01	0,80	●	●	●	5,24
	1,00	●	●	●	6,55
	1,50	●	●	●	9,83
DX51	0,50	●	●	●	3,28
	0,80	●	●	●	5,24
	1,00	●	●	●	6,55
	1,50	●	●	●	9,83
AISI 304	0,50	●	●	●	3,28
	1,00	●	●	●	6,55
	0,50	●	●	●	1,18
	1,00	●	●	●	2,35
Alüminium	1,50	●	●	●	3,53
	2,00	●	●	●	4,70
	3,00	●	●	●	7,06




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,50	●	●	●	1,05
	0,80	●	●	●	1,68
	1,00	●	●	●	2,11
DX51	0,50	●	●	●	1,05
	0,80	●	●	●	1,68
	1,00	●	●	●	2,11
AISI 304	0,50	●	●	●	1,05
Alüminium	0,50	●	●	●	0,38
	1,00	●	●	●	0,76
	1,50	●	●	●	1,13
	2,00	●	●	●	1,51


1/1 ÖLÇEK 1/1 SCALE



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,50	■	■	■	2,96
	0,80	■	■	■	4,74
	1,00	■	■	■	5,93
DX51	0,50	■	■	■	2,96
	0,80	■	■	■	4,74
	1,00	■	■	■	5,93
AISI 304	0,50	■	■	■	2,96
Alüminium	0,50	■	■	■	1,06
	1,00	■	■	■	2,13
	1,50	■	■	■	3,19
	2,00	■	■	■	4,26




H : 10 mm
 T : 13 mm
 %59




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\varnothing}{KG}$
S235JR	1,50	●	●	●	4,80
	0,50	●	●	●	1,60
DC01	0,80	●	●	●	2,56
	1,00	●	●	●	3,20
	1,50	●	●	●	4,80
DX51	0,50	●	●	●	1,60
	0,80	●	●	●	2,56
	1,00	●	●	●	3,20
	1,50	●	●	●	4,80
AISI 304	0,50	●	●	●	1,60
	1,00	●	●	●	3,20
	0,50	●	●	●	0,57
Alüminium	1,00	●	●	●	1,15
	1,50	●	●	●	1,72
	2,00	●	●	●	2,30


1/1 ÖLÇEK 1/1 SCALE




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50	●	●	●	9,36
	0,50	●	●	●	3,12
DC01	0,80	●	●	●	4,99
	1,00	●	●	●	6,24
	1,50	●	●	●	9,36
DX51	0,50	●	●	●	3,12
	0,80	●	●	●	4,99
	1,00	●	●	●	6,24
	1,50	●	●	●	9,36
AISI 304	0,50	●	●	●	3,12
	1,00	●	●	●	6,24
	0,50	●	●	●	1,12
	1,00	●	●	●	2,24
Alüminium	1,50	●	●	●	3,36
	2,00	●	●	●	4,48



H : 16 mm
 T : 20 mm
 %64




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				4,21
	0,50				1,40
DC01	0,80				2,25
	1,00				2,81
	1,50				4,21
DX51	0,50				1,40
	0,80				2,25
	1,00				2,81
	1,50				4,21
AISI 304	0,50				1,40
	1,00				2,81
	0,50				0,50
	1,00				1,01
Alüminium	1,50				1,51
	2,00				2,02



H : 16 mm
 T : 35 mm
 %20

Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50	●	●	●	9,36
	0,50	●	●	●	3,12
DC01	0,80	●	●	●	4,99
	1,00	●	●	●	6,24
	1,50	●	●	●	9,36
DX51	0,50	●	●	●	3,12
	0,80	●	●	●	4,99
	1,00	●	●	●	6,24
	1,50	●	●	●	9,36
AISI 304	0,50	●	●	●	3,12
	1,00	●	●	●	6,24
	0,50	●	●	●	1,12
	1,00	●	●	●	2,24
Alüminium	1,50	●	●	●	3,36
	2,00	●	●	●	4,48



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50				8,05
	0,50				2,69
	0,80				4,31
	1,00				5,38
	1,50				8,07
	0,50				2,68
DC01	0,80				4,29
	1,00				5,37
	1,50				8,05
	0,50				2,68
DX51	0,80				4,29
	1,00				5,37
	1,50				8,05
	0,50				2,68
AISI 304	1,00				5,37
	1,50				8,05
	0,50				2,68
	1,00				5,37
Alüminium	1,50				0,97
	0,50				1,93
	1,00				2,90
	1,50				3,86
	2,00				5,80
	3,00				


LR20x5 Z20x26

1/1 ÖLÇEK 1/1 SCALE



	: 20 mm
	: 5 mm
	: 20 mm
	: 26 mm
	: %36


Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				7,44
	0,50				2,50
	0,80				3,99
DC01	1,00				4,99
	1,50				7,49
DX51	0,50				2,48
	0,80				3,97
	1,00				4,96
	1,50				7,44
AISI 304	0,50				2,48
	1,00				4,96
	1,50				7,44
	2,00				3,58
Alüminium	3,00				5,38



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				6,73
	0,50				2,22
	0,80				3,56
DC01	1,00				4,45
	1,50				6,67
DX51	0,50				2,24
	0,80				3,59
	1,00				4,48
	1,50				6,73
AISI 304	0,50				2,24
	1,00				4,48
	1,50				6,73
Alüminium	0,50				0,80
	1,00				1,60
	1,50				2,39
	2,00				3,19
	3,00				4,79

LR40x5 U15x40

1/1 ÖLÇEK 1/1 SCALE



L : 40 mm
R : 5 mm
U1 : 15 mm
U2 : 40 mm
%32


Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				7,90
	2,00				10,54
DC01	0,50				2,89
	0,80				4,62
DX51	1,00				5,77
	1,50				8,66
AISI 304	2,00				11,54
	0,50				2,63
Alüminium	0,80				4,22
	1,00				5,27
	1,50				7,90
	2,00				10,54
	0,50				2,63
	1,00				5,27
	1,50				7,90
	2,00				10,54
	0,50				1,04
	1,00				2,07
	1,50				3,11
	2,00				4,14
	3,00				6,22



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50				9,88
	2,00				13,17
DC01	0,50				3,28
	0,80				5,24
DX51	1,00				6,55
	1,50				9,83
AISI 304	2,00				13,10
	0,50				3,29
Alüminium	0,80				5,27
	1,00				6,59
	1,50				9,88
	2,00				13,17
	0,50				3,29
	1,00				6,59
	1,50				9,88
	2,00				13,17
	0,50				1,18
	1,00				2,35
	1,50				3,53
	2,00				4,70
	3,00				7,06

LR50x20 U80


1/1 ÖLÇEK 1/1 SCALE




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,50				3,35
	0,80				5,37
	1,00				6,71
DX51	0,50				3,35
	0,80				5,37
	1,00				6,71
AISI 304	0,50				3,35
	1,00				6,71
Alüminium	0,50				1,20
	1,00				2,41
	1,50				3,61
	2,00				4,82




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,50				2,61
	0,80				4,18
	1,00				5,23
DX51	0,50				2,61
	0,80				4,18
	1,00				5,23
AISI 304	0,50				2,61
	1,00				5,23
Alüminium	0,50				0,94
	1,00				1,88
	1,50				2,81
	2,00				3,75




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				7,27
	0,50				2,42
	0,80				3,87
DC01	1,00				4,84
	1,50				7,25
	0,50				2,42
DX51	0,80				3,88
	1,00				4,85
	1,50				7,27
	0,50				2,42
AISI 304	1,00				4,85
	1,50				7,27
	0,50				0,87
	1,00				1,74
Alüminium	1,50				2,60
	2,00				3,47
	3,00				5,21




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
S235JR	1,50				5,73
	2,00				7,64
	3,00				11,46
DC01	0,50				1,91
	0,80				3,06
	1,00				3,82
	1,50				5,73
	2,00				7,64
	0,50				1,91
	0,80				3,06
	1,00				3,82
DX51	1,50				5,73
	2,00				7,64
	0,50				1,91
	0,80				3,06
	1,00				3,82
	1,50				5,73
AISI 304	2,00				7,64
	3,00				11,46
	0,50				1,91
	1,00				3,82
	1,50				5,73
Alüminium	2,00				7,64
	0,50				0,69
	1,00				1,37
	1,50				2,06
	2,00				2,74
	3,00				4,11




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				8,78
	2,00				11,70
	3,00				17,55
DC01	0,50				2,93
	0,80				4,68
	1,00				5,85
DX51	1,50				8,78
	2,00				11,70
	0,50				2,93
AISI 304	0,80				4,68
	1,00				5,85
	1,50				8,78
Alüminium	2,00				11,70
	3,00				17,55
	0,50				2,93
	1,00				5,85
	1,50				8,78
	2,00				11,70
	0,50				1,05
	1,00				2,10
	1,50				3,15
	2,00				4,20
	3,00				6,30






Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				6,50
	2,00				8,67
	3,00				13,00
	5,00				21,67
DC01	0,50				2,18
	0,80				3,49
	1,00				4,37
	1,50				6,55
DX51	2,00				8,74
	0,50				2,17
	0,80				3,47
	1,00				4,33
AISI 304	1,50				6,50
	2,00				8,67
	3,00				13,00
	0,50				2,17
Alüminium	1,00				4,33
	1,50				6,50
	2,00				8,67
	3,00				13,00
	0,50				0,78
	1,00				1,56
	1,50				2,33
	2,00				3,11
	3,00				4,67



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}}$
S235JR	1,50				5,12
	2,00				6,83
	3,00				10,24
	5,00				17,06
DC01	0,50				1,72
	0,80				2,75
	1,00				3,43
	1,50				5,15
DX51	2,00				6,86
	0,50				1,71
	0,80				2,73
	1,00				3,41
AISI 304	1,50				5,12
	2,00				6,83
	3,00				10,24
	0,50				1,71
Alüminium	1,00				3,41
	1,50				5,12
	2,00				6,83
	3,00				10,24

LC10x5 U8x13

1/1 ÖLÇEK 1/1 SCALE



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,50				6,68
	2,00				8,90
DC01	0,50				2,22
	0,80				3,56
DX51	1,00				4,45
	1,50				6,67
AISI 304	2,00				8,89
	0,50				2,23
Alüminium	0,80				3,56
	1,00				4,45
Alüminium	2,00				8,90
	0,50				2,23
Alüminium	1,00				4,45
	0,50				0,80
Alüminium	1,00				1,60
	1,50				2,39
Alüminium	2,00				3,19

R-T PERFORATION SUMMARY TABLE

		DC01					DX51					S235JR					AISI 304					ALUMINUM					
R	T	0,5	0,8	1	1,5	2	0,5	0,8	1	1,5	2	3	1,5	2	3	5	0,5	1	1,5	2	3	0,5	1	1,5	2	3	Open Area
1	2	●	●	●			●	●	●	●							●	●				●	●				23%
1	6	●	●	●			●	●	●	●							●	●				●	●				3%
1,5	3	●	●	●			●	●	●								●	●				●	●	●			23%
1,5	9	●	●	●			●	●	●								●	●				●	●	●			3%
2	4	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	23%
2	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	7%
2,5	4	●	●	●			●	●	●								●	●				●	●	●	●	●	35%
2,5	12	●	●	●			●	●	●								●	●				●	●	●	●	●	4%
3	5	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	33%
3	9	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	10%
4	6	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	40%
4	10	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	15%
5	7	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	46%
5	10	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	23%
5	17	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	8%
5	21	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	5%
6	12	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	23%
6	20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	8%
7	12	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	31%
7	20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	11%
8	12	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	40%
8	21	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	13%
9	14	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	37%
9	24	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	13%
10	16	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	35%
10	27	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	12%
12	18	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	40%
12	24	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	23%
12	32	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	13%
14	20	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	44%
14	36	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	14%
15	22	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	42%
15	38	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	14%
16	24	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	40%
16	42	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	13%
18	26	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	43%
18	44	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	15%
20	28	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	46%
20	48	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	16%

H-T PERFORATION SUMMARY TABLE

		DC01				DX51					S235JR					AISI 304					ALUMINIUM						
H	T	0,5	0,8	1	1,5	2	0,5	0,8	1	1,5	2	3	1,5	2	3	5	0,5	1	1,5	2	3	0,5	1	1,5	2	3	Open Area
4	6	●	●	●	●		●	●	●	●			●				●	●				●	●	●	●	●	44%
4	10,5	●	●	●	●		●	●	●	●			●				●	●				●	●	●	●	●	16%
6,35	7,24	●	●	●			●	●	●								●					●	●	●	●	●	73%
6,35	12,54	●	●	●			●	●	●								●					●	●	●	●	●	25%
10	13	●	●	●	●		●	●	●	●			●				●	●				●	●	●	●	●	59%
10	22,5	●	●	●	●		●	●	●	●			●				●	●				●	●	●	●	●	20%
16	20	●	●	●	●		●	●	●	●			●				●	●				●	●	●	●	●	64%
16	35	●	●	●	●		●	●	●	●			●				●	●				●	●	●	●	●	20%

LR-Z PERFORATION SUMMARY TABLE

		DC01					DX51					S235JR					AISI 304					ALUMINIUM					
LR	Z	0,5	0,8	1	1,5	2	0,5	0,8	1	1,5	2	3	1,5	2	3	5	0,5	1	1,5	2	3	0,5	1	1,5	2	3	Open Area
12,5x3	12x19	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	31%
20x5	20x26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	36%
20x10	30x28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	43%
40x5	50x50	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16%
50x20	80x70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	33%


C-U PERFORATION SUMMARY TABLE

		DC01					DX51					S235JR					AISI 304					ALUMINIUM					
C	U	0,5	0,8	1	1,5	2	0,5	0,8	1	1,5	2	3	1,5	2	3	5	0,5	1	1,5	2	3	0,5	1	1,5	2	3	Open Area
8	13	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	38%
10	14	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	51%
10	20	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	25%
12	18	■	■	■	■		■	■	■								■	■				■	■	■	■	■	40%
20	30	■	■	■			■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	44%
30	40	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	■	56%



Delmaksan

Superior Engineering in Every Form





OUR PRODUCTS




EXPANDED METAL

Expanded metal is a kind of metal sheet that has been processed and perforated by the expansion method. One of its most important features is that it is not combined with any welding or assembly process and is produced from a single piece of metal.

The raw material used for the manufacture of the product is generally stainless steel, DC01,s235JR and aluminum materials. It can also be produced from many different materials. However, perforated metal sheet products manufactured with stainless steel and aluminum materials are much more durable than products made from other materials.


AREAS OF USE

- Walking platforms and stairs
- Automotive industry
- Ship industry
- Machine enclosures
- Load and safety vehicles
- Ventilation and filters
- Garden fence
- Manhole covers
- Advertising signs
- Under plaster
- Elevator shafts
- Shelves and cabinets



L	:	4 mm
S	:	2 mm
T	:	0,5 mm
SW	:	0,7 mm
A	:	1 mm
	:	30%


Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,5	◆			2,80
Alüminium	0,5	◆	◆		1,05




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,5	◆	◆		1,47
	0,8	◆	◆		2,36
	1	◆			2,95
DX11	0,5	◆	◆		1,47
	0,8	◆	◆		2,36
	1	◆			2,95
AISI 304	0,5	◆			1,47
Alüminium	0,5	◆	◆		0,55
	0,8	◆	◆		0,88
	1	◆	◆		1,11

6x3,8x0,5x0,7


1/1 ÖLÇEK 1/1 SCALE




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,5	◆	◆		1,47
	0,8	◆	◆		2,36
	1	◆			2,95
DX51	0,5	◆	◆		4,42
	0,8	◆	◆		5,89
	1	◆			1,47
AISI 304	0,5	◆			2,36
Alüminium	0,5	◆	◆		2,95
	0,8	◆	◆		4,42
	1	◆	◆		5,89





Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,5	◆	◆		2,40
	0,8	◆	◆		3,84
	1	◆	◆		4,80
DX1	0,5	◆	◆		2,40
	0,8	◆	◆		3,84
	1	◆	◆		4,80
AISI 304	0,5	◆	◆		2,40
Alüminium	0,5	◆	◆		0,90
	0,8	◆	◆		1,44
	1	◆	◆		1,80




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC01	0,5	◆			2,00
	0,8	◆	◆		3,20
	1	◆	◆		4,00
DX51	0,5	◆	◆		2,00
	0,8	◆	◆		3,20
	1	◆	◆		4,00
AISI 304	0,5	◆			2,00
	1	◆	◆		4,00
Alüminium	0,5	◆	◆		0,75
	0,8	◆	◆		1,20
	1	◆	◆		1,50




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{m}^2}$
DC01	0,5	◆	◆	◆	1,71
	0,8	◆	◆	◆	2,74
	1	◆	◆	◆	3,43
DX51	0,5	◆	◆	◆	1,71
	0,8	◆	◆	◆	2,74
	1	◆	◆	◆	3,43
AISI 304	0,5	◆	◆	◆	1,71
	1	◆	◆	◆	2,74
Alüminium	0,5	◆	◆	◆	0,64
	0,8	◆	◆	◆	1,03
	1	◆	◆	◆	1,29




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	6,00
	0,5	◆	◆		2,00
DC51	0,8	◆	◆		3,20
	1	◆	◆		4,00
	1,5	◆	◆	◆	6,00
	0,5	◆	◆		2,00
	0,8	◆	◆		3,20
DX51	1	◆	◆		4,00
	1,5	◆	◆		6,00
	0,5	◆	◆		2,00
	0,8	◆	◆		3,20
	1	◆	◆		4,00
AISI 304	1,5	◆	◆		6,00
	0,5	◆	◆		2,00
	1	◆	◆		4,00
	1,5	◆	◆	◆	6,00
	0,5	◆	◆		0,75
Alüminium	0,8	◆	◆		1,20
	1	◆	◆		1,50
	1,5	◆	◆		2,25





Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	
DC01	0,8				2,56
	1				3,20
DX51	0,8				2,56
AISI 304	1				3,20




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
DC51	1	◆			2,06
DX51	1	◆◆			2,06
Alüminium	1	◆			0,77




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	
	1,5				6,00
	2				8,00
	0,5				2,00
	0,8				3,20
	1				4,00
	1,5				6,00
	2				8,00
	0,5				2,00
	0,8				3,20
	1				4,00
	1,5				6,00
	2				8,00
	0,5				2,00
	1				4,00
	1,5				6,00
	2				8,00
	0,5				0,75
	0,8				1,20
	1				1,50
	1,5				2,25
	2				3,00




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	5,54
	2	◆	◆	◆	7,38
	3	◆	◆	◆	11,08
DC01	0,5	◆	◆		1,85
	0,8	◆	◆		2,95
	1	◆	◆		3,69
	1,5	◆	◆	◆	5,54
	2	◆	◆	◆	7,38
	0,5	◆	◆		1,85
	0,8	◆	◆		2,95
DX51	1	◆	◆		3,69
	1,5	◆	◆		5,54
	2	◆	◆		7,38
	0,5	◆	◆		1,85
AISI 304	0,8	◆	◆		2,95
	1	◆	◆		3,69
	1,5	◆	◆		5,54
	2	◆	◆		7,38
ALUMINUM	1	◆	◆		3,69
	1,5	◆	◆		5,54
	2	◆	◆		7,38
	3	◆	◆		11,08
	0,5	◆	◆		0,69
	0,8	◆	◆		1,11
	1	◆	◆		1,38




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5				4,24
	2				5,65
DC01	1,5				4,24
	2				5,65
DX51	1,5				4,24
	2				5,65
AISI 304	1,5				4,24
	2				5,65
ALUMINUM	1,5				1,59
	2				2,12




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	4,80
	2	◆	◆	◆	6,40
	3	◆	◆	◆	9,60
	4	◆	◆	◆	12,80
DC01	1	◆	◆	◆	3,20
	1,5	◆	◆	◆	4,80
DX51	2	◆	◆	◆	6,40
	1	◆	◆	◆	3,20
	1,5	◆	◆	◆	4,80
AISI 304	2	◆	◆	◆	6,40
	1	◆	◆	◆	3,20
	1,5	◆	◆	◆	4,80
ALUMINUM	2	◆	◆	◆	6,40
	3	◆	◆	◆	9,60
	1	◆	◆	◆	1,20
	1,5	◆	◆	◆	1,80





L	: 50 mm
S	: 18 mm
T	: 2 mm
SW	: 5 mm
A	: 8 mm
Ø	: 44%




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	6,67
	2	◆	◆	◆	8,89
	3	◆	◆	◆	13,33
	4	◆	◆	◆	17,78
	5	◆	◆	◆	22,22
DC01	1	◆	◆	◆	4,44
	1,5	◆	◆	◆	6,67
DX51	2	◆	◆	◆	8,89
	1	◆	◆	◆	4,44
	1,5	◆	◆	◆	6,67
AISI 304	2	◆	◆	◆	8,89
	1	◆	◆	◆	4,44
	1,5	◆	◆	◆	6,67
	2	◆	◆	◆	8,89
ALUMINUM	3	◆	◆	◆	13,33
	4	◆	◆	◆	17,78
	1	◆	◆	◆	1,67
	1,5	◆	◆	◆	2,50
	2	◆	◆	◆	3,33
	3	◆	◆	◆	5,00
	4	◆	◆	◆	6,67




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	6,46
	2	◆	◆	◆	8,62
	3	◆	◆	◆	12,92
	4	◆	◆	◆	17,23
	5	◆	◆	◆	21,54
DC01	1	◆	◆	◆	4,31
	1,5	◆	◆	◆	6,46
DX51	2	◆	◆	◆	8,62
	1	◆	◆	◆	4,31
	1,5	◆	◆	◆	6,46
AISI 304	2	◆	◆	◆	8,62
	1	◆	◆	◆	4,31
	1,5	◆	◆	◆	6,46
	2	◆	◆	◆	8,62
	3	◆	◆	◆	12,92
ALUMINUM	4	◆	◆	◆	17,23
	1	◆	◆	◆	1,62
	1,5	◆	◆	◆	2,42
	2	◆	◆	◆	3,23
	3	◆	◆	◆	4,85
	4	◆	◆	◆	6,46




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	
S235JR	1,5				2,40
	2				3,20
	3				4,80
	4				6,40
	5				8,00
DC01	1,5				2,40
	2				3,20
DX51	1,5				2,40
	2				3,20
AISI 304	1,5				2,40
	2				3,20
	3				4,80
	4				6,40
ALUMINUM	1,5				0,90
	2				1,20
	3				1,80
	4				2,40



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	3,87
	2	◆	◆	◆	5,16
	3	◆	◆	◆	7,74
	4	◆	◆	◆	10,32
	5	◆	◆	◆	12,90
DC01	1,5	◆	◆	◆	3,87
	2	◆	◆	◆	5,16
DX51	1,5	◆	◆	◆	3,87
	2	◆	◆	◆	5,16
AISI 304	1,5	◆	◆	◆	3,87
	2	◆	◆	◆	5,16
	3	◆	◆	◆	7,74
	4	◆	◆	◆	1,45
ALUMINUM	1,5	◆	◆	◆	1,94
	2	◆	◆	◆	2,90
	3	◆	◆	◆	3,87
	4	◆	◆	◆	





Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	$\frac{\text{KG}}{\text{M}^2}$
S235JR	1,5	◆	◆	◆	2,06
	2	◆	◆	◆	2,74
	3	◆	◆	◆	4,11
	4	◆	◆	◆	5,49
DC01	1,5	◆	◆	◆	2,06
	2	◆	◆	◆	2,74
DX51	1,5	◆	◆	◆	2,06
	2	◆	◆	◆	2,74
AISI 304	1,5	◆	◆	◆	2,06
	2	◆	◆	◆	2,74
	3	◆	◆	◆	4,11
	4	◆	◆	◆	0,77
ALUMINUM	1,5	◆	◆	◆	1,03
	2	◆	◆	◆	1,54
	3	◆	◆	◆	2,06
	4	◆	◆	◆	2,06





Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	2,67
	2	◆	◆	◆	3,56
	3	◆	◆	◆	5,33
DC01	1,5	◆	◆	◆	2,67
	2	◆	◆	◆	3,56
DX51	1,5	◆	◆	◆	2,67
	2	◆	◆	◆	3,56
AISI 304	1,5	◆	◆	◆	2,67
	2	◆	◆	◆	3,56
	3	◆	◆	◆	5,33
ALUMINUM	1,5	◆	◆	◆	1,00
	2	◆	◆	◆	1,33
	3	◆	◆	◆	2,00



1/1 ÖLÇEK 1/1 SCALE



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5				8,00
	2				10,67
	3				16,00
DC01	1,5				8,00
	2				10,67
DX51	1,5				8,00
	2				10,67
AISI 304	1,5				8,00
	2				10,67
	3				16,00
ALUMINUM	1,5				3,00
	2				4,00
	3				6,00




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	9,60
	2	◆	◆	◆	12,80
DC01	1,5	◆	◆	◆	9,60
	2	◆	◆	◆	12,80
DX51	1,5	◆	◆	◆	9,60
	2	◆	◆	◆	12,80
AISI 304	1,5	◆	◆	◆	9,60
	2	◆	◆	◆	12,80
ALUMINUM	1,5	◆	◆	◆	3,60
	2	◆	◆	◆	4,80




Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	
S235JR	1,5				4,15
	2				5,54
	3				8,31
DC01	0,5				1,38
	0,8				2,22
	1				2,77
	1,5				4,15
	2				5,54
	0,5				1,38
	0,8				2,22
	1				2,77
DX51	1,5				4,15
	2				5,54
	1				2,77
AISI 304	1,5				4,15
	2				5,54
	3				8,31
	0,5				1,38
	0,8				2,22
ALUMINUM	1				2,77
	1,5				4,15
	2				5,54
	3				8,31

31X15X0,5X1,25 FLATTENED

1/1 ÖLÇEK 1/1 SCALE



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5	◆	◆	◆	1,80
	2	◆	◆	◆	2,40
	3	◆	◆	◆	3,60
DC01	0,5	◆	◆	◆	0,60
	0,8	◆	◆	◆	0,96
	1	◆	◆	◆	1,20
	1,5	◆	◆	◆	1,80
	2	◆	◆	◆	2,40
	0,5	◆	◆	◆	0,60
	0,8	◆	◆	◆	0,96
DX51	1	◆	◆	◆	1,20
	1,5	◆	◆	◆	1,80
	2	◆	◆	◆	2,40
	0,5	◆	◆	◆	0,60
AISI 304	0,8	◆	◆	◆	0,96
	1	◆	◆	◆	1,20
	1,5	◆	◆	◆	1,80
	2	◆	◆	◆	2,40
	3	◆	◆	◆	3,60
ALUMINUM	0,5	◆	◆	◆	0,60
	0,8	◆	◆	◆	0,96
	1	◆	◆	◆	1,20
	1,5	◆	◆	◆	1,80
	2	◆	◆	◆	2,40
	3	◆	◆	◆	3,60




L : 42 mm		
S : 15 mm		
T : 1,5 mm		
SW : 2,5 mm		
A : 1,5 mm		
B : 67%		



Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5				3,60
	2				4,80
	3				7,20
DC01	1				2,40
	1,5				3,60
	2				4,80
DX51	1				2,40
	1,5				3,60
	2				4,80
AISI 304	1				2,40
	1,5				3,60
	2				4,80
ALUMINUM	3				7,20
	1				2,40
	1,5				3,60
	2				4,80
	3				7,20

50X18X1,5X2,5 FLATTENED

1/1 ÖLÇEK 1/1 SCALE

		<table border="1"> <tbody> <tr> <td>L</td><td>: 50 mm</td></tr> <tr> <td>S</td><td>: 18 mm</td></tr> <tr> <td>T</td><td>: 1,5 mm</td></tr> <tr> <td>SW</td><td>: 2,5 mm</td></tr> <tr> <td>A</td><td>: 1,5 mm</td></tr> <tr> <td></td><td>: 72%</td></tr> </tbody> </table>	L	: 50 mm	S	: 18 mm	T	: 1,5 mm	SW	: 2,5 mm	A	: 1,5 mm		: 72%
L	: 50 mm													
S	: 18 mm													
T	: 1,5 mm													
SW	: 2,5 mm													
A	: 1,5 mm													
	: 72%													

Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	KG
S235JR	1,5				3,00
	2				4,00
	3				6,00
	4				8,00
	5				10,00
DC01	1				2,00
	1,5				3,00
DX51	2				4,00
	1				2,00
	1,5				3,00
AISI 304	2				4,00
	1				2,00
	1,5				3,00
	3				6,00
ALUMINUM	4				8,00
	1				2,00
	1,5				3,00
	2				4,00
3					6,00
	4				8,00



													
<table border="1"> <tbody> <tr> <td>L</td><td>: 62 mm</td></tr> <tr> <td>S</td><td>: 26 mm</td></tr> <tr> <td>T</td><td>: 1,5 mm</td></tr> <tr> <td>SW</td><td>: 2,5 mm</td></tr> <tr> <td>A</td><td>: 1,5 mm</td></tr> <tr> <td></td><td>: 81%</td></tr> </tbody> </table>	L	: 62 mm	S	: 26 mm	T	: 1,5 mm	SW	: 2,5 mm	A	: 1,5 mm		: 81%	
L	: 62 mm												
S	: 26 mm												
T	: 1,5 mm												
SW	: 2,5 mm												
A	: 1,5 mm												
	: 81%												

Malzeme Cinsi / Material	Kalınlık / Thickness (mm)	1000x2000 mm	1250x2500 mm	1500x3000 mm	
S235JR	1,5				2,08
	2				2,77
	3				4,15
	4				5,54
	5				6,92
DC01	1				1,38
	1,5				2,08
DX51	2				2,77
	1				1,38
	1,5				2,08
AISI 304	2				2,77
	1				1,38
	1,5				2,08
	2				2,77
	3				4,15
ALUMINUM	4				5,54
	1				1,38
	1,5				2,08
	2				2,77
	3				4,15
	4				5,54

EXPENDED PERFORATION SUMMARY TABLE

GÖZ ARALIĞI	DC01					DX51					S235JR					AISI 304					ALUMINIUM								
	0,5	0,8	1	1,5	2	0,5	0,8	1	1,5	2	3	1,5	2	3	4	5	0,5	1	1,5	2	3	4	0,5	1	1,5	2	3	4	
6x3,8	◆	◆	◆			◆	◆	◆								◆							◆	◆					
10x5	◆	◆	◆			◆	◆	◆								◆							◆	◆					
12x6	◆	◆	◆			◆	◆	◆									◆	◆					◆	◆					
14x7	◆	◆	◆			◆	◆	◆	◆							◆	◆					◆	◆	◆					
16x8	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆					◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
20x10		◆	◆	◆			◆	◆	◆	◆							◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	
20x14			◆					◆										◆											
25x8	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
30x13	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
30x17			◆	◆				◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆							
31x15	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		
42x15		◆	◆	◆				◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	◆	◆		◆	◆	◆	◆	◆	
50x18	◆	◆	◆				◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
62x26	◆	◆	◆				◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	
76x31	◆	◆	◆					◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆	◆							
82x35		◆	◆					◆	◆	◆	◆	◆	◆	◆	◆	◆	◆		◆	◆	◆	◆							
110x45			◆	◆					◆	◆	◆	◆	◆	◆	◆	◆			◆	◆	◆	◆							
115x50			◆	◆					◆	◆	◆	◆	◆	◆	◆	◆			◆	◆	◆	◆							

OUR LICENSES AND CERTIFICATES





Delmaksan Delikli Sac Sanayi Anonim Şirketi
İkitelli O.s.b. Başakşehir Sanayi Sitesi
F-Blok No:11-20 Başakşehir-İstanbul
Tel. +90 212 693 27 27 - uretim@delmaksan.com
www.delmaksan.com